

Model	**Precea 3000**	**Precea 3000-FCC**	**Precea 3000-A**	**Precea 3000-AFCC**	**Precea 3300**
Equipment option	**Special/Super**	**Super**	**Super**	**Super**	**Special/Super**
Frame execution	rigid	rigid	Mounted	Harrow-mounted seed drill + mounted front hopper	rigid
Working width (m)	2.70–3.20		3.00		3.80
Number of sowing units	4, 5, 6		4, 5, 6		5, 7
Possible row spacing (cm)	45, 50, 60, 65, 70, 75, 80		50, 60, 75	50, 60, 70, 75	50, 70, 75
Transport width (m) on 75 cm row spacing	3.00		3.00		3.30
Transport length from (m)	2.00		3.05		2.00
Singling drive	Special mechanical / Super electric	electric			Special mechanical / Super electric
Drive: fertiliser metering	Special mechanical / Super electric	electric			Special mechanical / Super electric
Operational speed (km/h)	Special 3–12 / Super 3–15	up to 15	3–15	3–12	Special 3–12 / Super 3–15
Seed spacing	3.1 cm to 86.9 cm depending on the singling disc used				
Singling unit	Singling discs for maize, sunflowers, sugar beet, rape, soya, sorghum, field beans, peas				
Fertiliser hopper capacity (l)	950 / 1,250		950	1,600/2,200	950 / 1,250
Seed hopper capacity (l)	55 / 70				

Illustrations, content and technical data are not binding and may differ depending on the level of equipment. Country-specific road traffic regulations apply and must be complied with, meaning that special approval may be required. The permissible axle loads and total weights of the tractor should be checked. Not all the listed combination options are possible with all tractor manufacturers.

Technical data
Precea precision air seeder

Model	Precea 4500	Precea 4500-2			Precea 4500-2FCC		
Equipment option	**Special/Super**	**Special/Super**			**Super**		
Frame execution	rigid	single	double	variable*	single	double	variable*
Working width (m)	3.50 – 4.80	3.60 – 4.80	4.20 – 4.80	2.70 – 4.80	3.60 – 4.80	4.20 – 4.80	2.70 – 4.80
Number of sowing units	5, 6, 7, 8	6, 7					
Possible row spacing (cm)	45, 50, 60, 65, 70, 75, 80	60, 65, 70, 75, 80	60, 70, 75, 80	45 – 80	60, 65, 70, 75, 80	60, 70, 75, 80	45 – 80
Transport width (m) on 75 cm row spacing	4.50	3.30	3.00		3.30	3.00	
Transport length from (m)	2.00			2.30	2.00		2.30
Singling drive	Special mechanical / Super electric				electric		
Drive: fertiliser metering	Special mechanical / Super electric				electric		
Operational speed (km/h)	Special 3 – 12 / Super 3 – 15				3 – 15		
Seed spacing	3.1 cm to 86.9 cm depending on the singling disc used						
Singling unit	Singling discs for maize, sunflowers, sugar beet, rape, soya, sorghum, field beans, peas						
Fertiliser hopper capacity (l)	950 / 1,250	950 / 1,250 or 1,600 / 2,000					
Seed hopper capacity (l)	55 / 70						

* Only available as Super version

Illustrations, content and technical data are not binding and may differ depending on the level of equipment. Country-specific road traffic regulations apply and must be complied with, meaning that special approval may be required. The permissible axle loads and total weights of the tractor should be checked. Not all the listed combination options are possible with all tractor manufacturers.



Model	Precea 6000	Precea 6000-2	Precea 6000-2CC	Precea 6000-2FCC	Precea 6000-2AFCC
Equipment option	**Special/Super**	**Special/Super**	**Special/Super**	**Super**	**Super**
Frame execution	rigid	folding			folding
Working width (m)	5.40 – 6.20	5.40 – 6.80			6.00
Number of sowing units	8, 9, 12	8, 9, 12	8, 9	8, 9, 12	8
Possible row spacing (cm)	45, 50, 60, 65, 70, 75, 80	45, 50, 60, 65, 70, 75, 80	60, 70, 75, 80	45, 50, 60, 65, 70, 75, 80	75
Transport width (m) on 75 cm row spacing	6.20	3.00			3.30 m mechanical coulter pressure/3.00 m hydraulic coulter pressure
Transport length from (m)	2.00		2.50	2.00 + FTender	3.25
Singling drive	Special mechanical / Super electric			electric	
Drive: fertiliser metering	Special mechanical / Super electric			electric	
Operational speed (km/h)	Special 3 – 12 / Super 3 – 15			3 – 15	3 – 12
Seed spacing	3.1 cm to 86.9 cm depending on the singling disc used				
Singling unit	Singling discs for maize, sunflowers, sugar beet, rape, soya, sorghum, field beans, peas				
Fertiliser hopper capacity (l)	950 / 1,250	–	950 / 1,250	1,600 / 2,200	1,600 / 2,200
Seed hopper capacity (l)	55 / 70				55

Illustrations, content and technical data are not binding and may differ depending on the level of equipment. Country-specific road traffic regulations apply and must be complied with, meaning that special approval may be required. The permissible axle loads and total weights of the tractor should be checked. Not all the listed combination options are possible with all tractor manufacturers.